

Expected control of broadleaf weeds with turf herbicides (consult specific herbicide label for weed species listing).

Weed	Lifecycle	Aminocarbazono	Aminocyclopyrachlor	Atrazine/Simazine	2,4-D	MCPP	Dicamba	2,4-D + MCPP	2,4-D + 2,4-DP	2,4-D + MCPP + dicamba	Carfentrazone	Carfentrazone + 2,4-D + MCPP + MCPA &/or dicamba	Chlorsulfuron	Clopyralid	Flumioxazin	Fluroxypyr	Fluroxypyr + 2,4-D + dicamba	Imazaquin	Iodosulfuron-dicamba + thifencarbazono	Mesotrione	Metsulfuron	Pyraflufen-ethyl	Quinclorac	Quinclorac + 2,4-D + sulfentrazone + dicamba	Triclopyr	2,4-D + triclopyr	Triclopyr + clopyralid	MCPA + triclopyr + clopyralid	Sulfentrazone + 2,4-D + MCPP + dicamba	Sulfentrazone	Triclopyr + dicamba + sulfentrazone + 2,4-D	
Aster	P ¹	—	—	—	G	—	—	F	G	F	—	G	—	G	—	—	G	—	G	—	G	—	—	G	—	F	G	G	G	—	G	
Bedstraw, smooth	P	—	—	—	P	P-F	G	F	F	G	—	G	G	—	—	E	G	—	—	—	P	G	—	G	F-G	G	G	G	G	—	G	
Beggarticks	A	—	—	G	G	—	—	—	G	G	—	G	—	—	—	—	G	—	—	—	—	G	—	E	—	G	G	G	—	—	G	
Betony, Florida	P	—	E	F-G ²	F	F	F-G	F	F-G	F-G	—	G	—	—	—	—	G	—	—	G	G	—	—	G	—	G	G	—	G	—	G	
Bittercress, hairy	WA	G	G	—	E	F	E	E	E	E	—	—	—	G	—	G	G	—	—	E	—	E	—	—	—	—	—	—	—	G	—	
Bindweed, field	P	—	—	—	G	G	G	E-F	G	E	—	G	—	—	—	G	G	—	—	—	—	E	G	G	G	—	—	—	F-G	—	G	
Burclover	A	—	—	—	F-P	E	E	E-F	E	E	—	G	F	G	—	—	G	—	—	—	G	—	—	—	G	—	—	—	F-G	—	—	
Buttercups	WA,B&P	—	—	F	G	F	F-G	E	E	E	—	G	G	G	F	—	G	G	G	G	E	—	—	E	—	G	E	G	G	G	G	
Buttonweed, Virginia	P	—	F	—	F	P-F	F	F	E-F	E-F	F	G	F	F	—	G	G	—	—	—	G	—	—	G	F	F-P	G	G	G	—	G	
Carpetweed	SA	G	—	E	G	F	E	E	E	E	G	G	—	—	—	—	G	—	—	G	P	G	—	E	—	G	—	G	G	G	G	
Carrot, wild	A,B	—	—	—	G	F	E	G	P-F	E	—	G	G	—	—	—	G	—	—	—	E	—	—	E	G	F	—	G	G	—	G	
Chamberbitter	SA,P	—	G	G-E	P	—	—	—	—	—	—	—	—	—	—	—	P	—	—	E	—	—	—	—	E	—	—	—	—	—	—	
Chickweed, common	WA	G	G	E	P	G	G	E	E	E	F	G	G	—	G	G	G	G	G	G	E	G	—	E	—	E	—	E	G	G	G	
Chickweed, mouse-ear	WA,P	G	F-G	F-G	G	G	G	E	E	E	F	G	G	P	G	G	G	G	—	G	E	G	—	G	P-F	E-F	E	E	G	G	G	
Chicory	P	—	—	—	G	E	G	E	E	E	—	G	—	—	—	—	G	—	—	—	E	—	—	G	G	G	—	G	—	G	—	
Cinquefoil, common	P	—	E	—	E-F	E-F	E-F	E-F	E-F	E-F	—	G	F	—	—	—	G	—	—	—	—	—	—	G	—	—	—	G	G	G		
Clover, crimson	SA	—	—	—	G	G	E	E	E	E	—	G	G	G	—	—	G	—	—	—	—	—	E	E	—	—	—	E	G	—	G	
Clover, hop	WA	G	E	E	F-G	G	G	E	E	E	—	G	G	G	G	—	G	—	—	—	F	—	E	E	—	E	—	E	G	—	G	
Clover, white	P	—	E	E	F-G	G	G	E	E	E	—	G	G	G	—	G	G	G	G	G	E	G	E	G	F-G	E-F	E	E	G	G	G	
Cudweed	WA	G	E	G-E	G-E	—	E	G-E	G-E	E	—	—	—	G	—	G	G	G	G	—	E	—	—	E	—	G-E	G-E	G	G	G	G	
Daisy, English	P	—	—	—	P	F	G	G	F	E	—	G	—	F	—	—	G	—	—	—	—	—	F	F-G	—	—	G	G	F-G	—	G	
Daisy, oxeye	P,B	—	—	—	F	F	F	F	F	E-F	—	—	—	—	—	—	G	F	G	—	—	—	—	G	—	—	—	—	G	—	G	
Dandelion	P	G	G	E-F	G	G	G	E	E	E	—	G	G	F-G	—	F-G	G	P-F	G	G	E	G	F-G	G	G	F-E	G	G	G	G	G	
Dandelion, Catsear	P	—	G	—	E-F	F	E	E	E	E	—	—	—	—	—	—	G	—	G	—	—	—	—	G	—	G	E	E	—	—	G	
Dayflower, Spreading	SA	—	—	G-E	F	F	F	F-G	F-G	F-G	—	G	—	—	—	—	G	—	—	—	G	—	P	E	—	F-G	—	—	G	—	G	
Deadnettle, purple	WA	—	—	G-E	G	F	G	F	—	F-G	—	G	—	—	G	E	G	—	—	—	P	—	G	E	—	—	F	—	—	G	—	G
Dichondra	P	—	G	E-F	E	F	E-F	E	E	E	—	—	—	—	—	—	—	G	—	P	—	E	—	—	—	—	E	—	—	—	—	
Dock, broadleaf & curly	P	—	E	F	G	F-G	F-G	G	F-G	E-F	—	G	G	G	—	—	G	—	—	G	G-E	G	—	G	F-G	G	E	—	G	G	G	
Dogfennel	P	—	G	—	G	—	G	—	—	E	—	G	—	—	—	—	G	—	G	—	G	—	—	E	—	E	E	—	G	—	G	
Doveweed	SA	—	—	G-E	F	F	F	F-G	F-G	F-G	—	—	—	—	—	—	—	G	—	P-F	—	—	—	—	F-G	—	G	—	—	—	—	
Eveningprimrose, Cutleaf	WA	—	—	E	—	—	G	G	F	G	—	—	—	—	G	—	G	G	—	—	—	G	—	—	G	G	G	G	—	G	—	
Falsedandelion, Carolina	WA,B	—	—	P	G	G	G	—	G	—	—	—	G	G	—	G	—	—	—	G-E	—	—	E	P	—	G	—	—	—	—	—	
Filaree, redstem	WA	—	—	—	P-F	—	G	—	—	—	—	G	G	—	G	—	G	—	—	—	—	—	—	E	—	—	—	—	G	G	G	
Garlic, wild	P	—	—	P	G	P	—	E-F	E-F	E-F	—	G	F	—	—	—	G	G	—	—	G-E	—	P	G	—	G	—	—	G	G	G	
Geranium, Carolina	WA	—	E	E	E	E-F	E	E	E	E	—	G	F	—	G	—	G	G	—	—	P-F	—	—	E	—	—	—	G	G	G	G	
Groundsel	WA	—	—	—	G	G	—	G	G	G	—	G	G	G	—	—	—	—	—	—	E	—	—	E	—	G	—	—	G	—	—	
Hawkweed	P	—	—	—	G	P	G	E-F	E-F	E-F	—	G	—	—	—	—	G	—	—	—	—	—	—	G	—	—	G	G	G	—	G	
Healall	P	—	G	—	G	P	E-F	E	E	E	—	G	—	P	—	—	G	—	—	—	G	—	—	G	P	—	E	E	G	—	G	
Henbit	WA	G	G	E	F-G	F	G-E	F	E-F	E	F	G	G	—	G	F-G	G	G	G	G	E-F	G	—	E	—	E	G	G	G	G	G	

Weed	Lifecycle	Amicarbazone	Aminocyclopyrachlor	Atrazine/Simazine	2,4-D	MCPP	Dicamba	2,4-D + MCPP	2,4-D + 2,4-DP	2,4-D + MCPP + dicamba	Carfentrazone	Carfentrazone + 2,4-D + MCPP + MCPA &/or dicamba	Chlorsulfuron	Clopyralid	Flumioxazin	Fluroxypyr	Fluroxypyr + 2,4-D + dicamba	Imazaquin	Iodosulfuron-dicamba + thiencarbazone	Mesotrione	Metsulfuron	Pyraflufen-ethyl	Quinclorac	Quinclorac + 2,4-D + sulfentrazone + dicamba	Triclopyr	2,4-D + triclopyr	Triclopyr + clopyralid	MCPA + triclopyr + clopyralid	Sulfentrazone + 2,4-D + MCPP + dicamba	Sulfentrazone	Triclopyr + dicamba + sulfentrazone + 2,4-D	
Horseweed	WA,SA	—	—	E	F	G	E	G	F-E	E-F	F	G	—	—	—	G	G	—	G	G	G	—	F-G	—	—	E	E	—	—	—	—	
Ivy, ground	P	—	E	—	F-G	G	F-G	G	F-E	E-F	F	G	—	—	—	G	G	—	G	G	G	—	—	G	G	F	G	G	G	G	G	
Knawel	WA	—	G	—	P	F	E	E-F	E-F	E	—	—	—	—	G	—	G	G	—	—	—	—	—	—	—	G	—	G	—	—	—	
Knotweed, prostrate	SA	—	—	E	F	F	G	G	G	F-G	—	G	G	—	—	F-G	G	—	—	—	F	G	—	E	—	G	G	G	G	G	G	
Kochia	SA	—	—	—	G	—	G	G	F	G	F	—	—	—	—	—	G	—	—	—	G	G	—	—	—	G	—	G	—	G	—	
Lambsquarters	SA	—	—	G	G	G	G	F	F	G	—	G	G	—	—	—	G	—	G	—	G	G	—	E	G	G	F	G	G	G	G	
Lespedeza, annual	SA	—	E	E	F-P	E	E	E-F	F	E	—	G	—	G	—	—	G	—	G	—	E	—	—	E	G	G	E	E	G	G	G	
Mallow	P	—	—	—	F-G	F	G	E-F	E-F	E-F	G	G	G	—	—	—	G	—	—	—	G	—	—	G	—	G	G	G	G	G	G	
Medic, black	A	—	E	—	P	F	G	G	E	E	G	G	—	G	—	G	G	G	—	—	—	—	E	E	G	G	E	G	G	G	G	
Moneywort	P	—	—	—	G	—	—	G	G	G	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	G	G	—	—	—	—	
Mugwort	P	—	—	—	F	F-P	G-E	F	F	F	—	—	—	F-G	—	—	G	—	—	—	—	—	—	—	P-F	—	—	—	—	—	—	
Mustard, wild	WA	—	—	E	G	F	G	E	E-F	E	—	G	G	—	G	—	G	—	G	—	G	G	—	E	G	G	—	G	G	—	G	
Nettle, stinging	P	—	—	F-G	G	—	F	F	F	F	—	—	—	—	—	—	G	—	—	—	—	G	—	—	—	F	—	G	—	—	G	
Onion, wild	P	—	—	P	G	P	F	G	F	E	—	G	F	—	—	—	G	G	—	—	G-E	—	—	G	—	—	—	—	G	G	G	
Parsley-piert	WA	—	—	E	P	E-F	E-F	E-F	P	E-F	—	G	—	—	G	—	G	G	—	—	G-E	—	—	E	—	E	—	—	G	G	G	
Pearlwort	WA	—	—	—	E-F	E-F	—	E-F	E-F	E-F	—	—	—	—	G	—	G	—	—	—	—	—	—	—	F	—	—	—	—	—	—	
Pennywort (dollarweed)	P	—	G-E	E	G	G	E-F	E-F	E-F	E-F	F	G	—	G	—	—	G	F-G	—	—	G	—	E	G	F	—	E	E	—	—	—	
Pepperweed, Virginia	WA	—	—	E	G	E-F	G	E-F	E	E	—	G	—	—	G	—	G	—	—	—	—	—	—	E	E	E	G	G	G	—	G	
Pigweed	SA	—	—	G	G	G	E-	G	E	G	G	G	—	—	—	—	G	—	G	—	G-E	G	—	E	F-G	—	—	—	E	G	G	
Pineapple-weed	WA,SA	—	—	—	F	F	—	F	F	F	—	G	G	G	—	—	—	G	—	G	—	G	G	—	E	—	F	—	—	G	G	
Plantains	P	—	G	F-P	G	G	G	E	E	E	—	G	F	G	—	F-G	—	—	G	—	G-F	—	—	G	F-G	F-G	E	E	G	G	G	
Purslane, common	SA	G	G	G	G	F	G	G	G	E-F	—	G	G	—	—	E	—	—	—	—	G	G	—	E	G	—	—	G	G	G	G	
Pusley, Florida	SA	—	F-G	—	G	—	G	—	F	G	—	G	—	G	—	—	—	—	—	G	G	—	—	E	—	G	—	G	G	G	G	
Ragweed, common	SA	—	—	G	G	G	G	G	F	G	—	G	G	G	—	—	G	G	G	—	G	G	—	E	G	G	F	G	G	G	G	
Rocket, yellow	WA,B	—	—	—	F-G	F-G	F	G	G	G	—	G	G	—	G	—	G	—	—	—	P	G	—	E	—	G	—	G	—	—	G	
Shepherd's-purse	WA	—	—	—	G	E-F	G	E-F	E-F	E	G	G	G	F	G	—	G	—	—	—	G	G	—	E	—	—	G	G	G	—	G	
Sida spp.	A	—	—	—	—	—	—	—	—	F-G	—	—	—	—	—	—	G	—	—	—	G	—	—	—	—	—	—	G	—	—	—	
Smartweed	SA	—	—	G	G	—	G	—	G	G	G	G	G	G	—	—	G	G	—	—	F-G	G	—	—	G	G	F-G	G	G	G	G	
Sorrel, red	P	—	—	—	G	E	G	G	F	G	F	G	—	G	—	—	G	G	—	—	G	—	—	G	F-G	—	E	G	G	G	G	
Speedwell, common	P	—	—	F	F	F	P	G	G	G	—	—	G	G	—	—	G	F	—	G	—	—	E	F-G	F-G	G	F-G	G	—	G	G	
Speedwell, corn	WA	G	F-G	E	F-P	F	F-P	G	F-G	G	—	—	G	G	—	—	G	—	G	G	G-E	—	—	G	F-G	G	F-G	G	F-G	G	—	
Speedwell, germander	P	—	—	F	P	F	P	G	G	G	—	—	G	—	—	—	—	—	—	—	—	—	—	F-G	F-G	G	F-G	G	—	G	—	
Speedwell, purslane	WA	—	—	F	—	F	—	G	G	G	—	—	G	G	—	—	G	—	—	—	—	—	—	G	F-G	-G	F-G	G	—	G	—	
Speedwell, thymeleaf	P	—	—	F	P-F	F	P	F	G	G	—	—	G	—	—	—	—	—	—	—	—	—	E	F-G	F-G	G	F-G	G	—	G	—	
Spurge, prostrate	SA	—	—	E-F	F	G	G	G	F	G	F	G	—	—	—	—	G	—	G	—	E	G	G	E	F-G	E-F	E-F	G	G	G	G	
Spurge, spotted	SA	—	F-G	E	F-P	G	G	G	F	G	F	G	—	—	—	—	G	—	G	—	E	G	G	E	F-G	F	E-F	G	G	G	G	
Spurry, corn	P	—	—	—	F	—	F-G	F	F	G	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	F	F	—	—	—	—	
Spurweed (lawn burweed)	WA	G	G	F-G	F	E-F	E	E-F	F-G	E	F	—	—	—	G	—	G	—	—	G	G-E	—	—	E	F-G	E	E	G	—	G	—	
Strawberry, Indian mock	P	—	—	—	P	F	E-F	F	P	E-F	—	—	—	—	—	—	G	—	—	—	—	—	—	G	—	—	—	—	G	—	G	
Thistles	B,P	—	G	P	G	G	G	E-F	E-F	E	F	G	F	G	—	—	G	G	G	G	P-F	—	—	E	G	—	G	G	G	—	G	—

Weed	Lifecycle	Amicarbazone	Aminocyclopyrachlor	Atrazine/Simazine	2,4-D	MCPP	Dicamba	2,4-D + MCPP	2,4-D + 2,4-DP	2,4-D + MCPP + dicamba	Carfentrazone	Carfentrazone + 2,4-D + MCPP + MCPA &/or dicamba	Chlorsulfuron	Clopyralid	Flumioxazin	Fluroxypyr	Fluroxypyr + 2,4-D + dicamba	Imazaquin	Iodosulfuron + dicamba + thienencarbazono	Mesotrione	Metsulfuron	Pyraflufen-ethyl	Quinclorac	Quinclorac + 2,4-D + sulfentrazone + dicamba	Triclopyr	2,4-D + triclopyr	Triclopyr + clopyralid	MCPA + triclopyr + clopyralid	Sulfentrazone + 2,4-D + MCPP + dicamba	Sulfentrazone	Triclopyr + dicamba + sulfentrazone + 2,4-D
Vetch, common	WA, SA	—	E	E	G	G	G	G	F	G	—	—	—	G	G	—	G	G	G	—	E	—	G	G	G	G	E	G	—	—	—
Violet, Johnny-jumpup	WA	—	—	—	F-P	F-P	E-F	F-P	F	F-P	—	—	—	—	G	—	—	P-F	—	G	E	—	—	G	F	—	F-G	F-G	—	—	—
Violet, wild	P	—	G	—	F-P	F-P	E-F	F-P	F	F-P	—	G	F	—	—	—	—	—	—	G	—	—	—	F-G	F	F	F-G	F-G	F-G	G	G
Woodsorrel, creeping	P	—	—	F	P	P	G	P-F	P-F	P-F	—	G	—	—	—	—	G	—	—	—	F-G	—	—	G	F-G	F-G	F	—	—	G	G
Woodsorrel, yellow	P	—	—	F-G	P	P	G	F-P	F-P	F-P	—	G	—	P	—	—	G	—	—	G	E-F	—	—	G	F-G	—	E-F	—	—	G	G
Yarrow	P	—	—	—	F	F	E	G	G	E-F	—	G	G	—	—	—	G	—	—	—	F-G	—	—	G	F-G	G	—	G	G	—	G

¹A = annual, B = biennial; P = perennial; SA = summer annual; WA = winter annual. ²E = excellent (>89%) control; F = Fair to Good (70 to 89%), good control sometimes with high rates, however a repeat treatment 1 to 3 weeks later each at the standard or reduced rate is usually more effective, especially on perennial weeds; P = poor (<70%) control in most cases. Not all weeds have been tested for susceptibility to each herbicide listed.