

**Guide to Grass Weed Control with Postemergence Turfgrass Herbicides** (Refer to Herbicide Label for Specific Turf Species Use Listing)

Herbicide <sup>1</sup>	Crabgrass	Goosegrass	Annual Bluegrass	Sandspur	Dallisgrass	Thin Paspalum	Ryegrass	Smoothgrass	Bahiagrass	Carpetgrass	Tall Fescue	Bermudagrass	Quackgrass
amicarbazone (Xonerate)	F-G	P	F-G	—	P	P	P	P	P	P	P	P	—
atrazine (Aatrex)	P-F <sup>2</sup>	P	G-E	F	P	P	G-E	F-G	F	P	F	P-F	F
asulam (Asulox)	G	F	P	F	P	P-F	—	F	P	G	P	P	—
bispyribac-sodium (Velocity)	—	—	G	—	—	—	P	—	—	—	—	P	—
chlorsulfuron (Corsair, TFC)	P	P	P	P	P	P	G	F	P	P	G	P	—
clethodim (Envoy)	E	G-E	G	G	—	—	G-E	—	—	—	P	G	G
diclofop (Illoxan)	P	G-E	P	P	P	P	G	P	P	P	P	P	—
DSMA, MSMA	G	F	P	G	F	F-G	P	P	F	G	P	P	—
ethofumesate (Prograss)	P	P	F-G*	P	P	P	P	P	P	—	P	P-G	—
fenoxaprop (Acclaim)	G-E	G-E	P	G	P	P	P	P	G	—	P	F-G	—
flazasulfuron (Katana)	F	P	G-E	—	—	—	G-E	—	—	—	F-G	P	—
fluazifop (Fusilade II)	G-E	G	F	G	P	P	G-E	P	G	—	P	G	G
foramsulfuron (Revolver)	P	G	E	—	F	—	E	—	—	—	E	P	—
imazapic (Plateau)	G	G	P	F-G	F	—	F	—	F	—	G	P	P
metribuzin (Sencor)	F-G	G-E	G	—	F	P	F	P	P	—	F	P	—
metsulfuron (Manor)	P	P	P	P	P	P	G	P	G	P	F	P	—
pronamide (Kerb)	P	P	G-E	P	P	P	G-E	P	P	—	G	P	F-G
rimsulfuron (TranXit)	P	P	G	P	P	P	G	P	P	P	P	P	P
sethoxydim (Vantage)	G-E	G	P	G	P-F	P	P	P	G	P	P	F-G	F-G
simazine (Princep T&O)	P-F	P	G-E	P-F	P	P	G-E	F	F	P	F	P-F	F
sulfosulfuron (Certainty)	P	P	G	—	P	P	P	—	P	P	G	P	G
trifloxysulfuron (Monument)	P	P	E	—	F	—	E	—	F	—	E	P	—
quinclorac (Drive)	E	P	P	—	F	P	P	P	P	P	P	P	—

<sup>1</sup>Repeat applications usually 5 to 14 days apart are needed for most herbicides and weeds. This is especially true as weeds mature, producing flowers and seedheads.

<sup>2</sup>E = excellent (>90%) control with one application;

G = good (80 to 90%) control with one application;

F = Fair to good (70 to 89%), good control sometimes with high rates, however a repeat treatment 1 to 3 weeks later each at the standard or reduced rate is usually more effective; P = poor (<70%) control in most cases.

— = Control unknown as all weeds have not been tested for susceptibility to each herbicide listed.

\*Ethofumesate provides good to excellent control of most true annual biotypes of annual bluegrass but only poor to fair control of perennial biotypes.