

ITEM# BU50001



Specifications:


Alcohol Content: 75%

40g/m spunlace

Wipe Size: 5 x 7 Inches

Packaging:

50ct



ALCOHOL WET WIPE 50 PCS, 75% ALCOHOL



Material Safety Data Sheets

Section 1 - Product and Company Identification

Product Identification: ALCOHOL WIPES

Supplier Name: PRODUCED BY WENZHOU GUANSHANG PAPER CO., LTD

Supplier Address: 2F, Building 8, Jiahong Industrial Zone, Longgang Town, Nancheng County,
Wenzhou City, Zhejiang Province

Contact Person : YANG JINDAI

Tel.: 057763664600

Signed for and on behalf of



Tony Qian/Approved Signatory

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

A1701-1204 Ximanshi of Dongbao Road, Dongcheng District, Tel: 400-8279623/ 400-09940105

Tel: 400-882-9628 / 800-9999305
 Http://www.bot-lab.com E-mail: christina@bot-lab.com

Al1201-1204 Xiamenqi of Dongyuan, Guangdong, China

Dongguan BST Testing Co., Ltd.

BTIDG-BG-H005



Material Safety Data Sheets

Section 2 – Composition/Information on Ingredients

Ingredient Name: ALCOHOL WIPES

Ingredient Name: ALCOHOL W/ES
The difference between the single product and mixture: mixture

Chemical Name:

Constitutes:

Chemical Name	CAS No.	Content/%
Water	7732-18-5	25
Ethanol	6417-5	75

Section 3 - Hazards Identification information

Health Hazards (Acute & Chronic):

Potential Health Hazards:

Skin Contact: (liquid only): May irritate the skin.

Eyes Contact: (liquid only): May irritate the eyes. May cause redness or swelling.

Inhalation:(liquid only): May cause irritation to mucous membranes.

Ingestion: (liquid only): May cause nausea, vomiting, upset stomach, diarrhea.

Medical Conditions Generally Aggravated by Exposure: Pre-existing dermatitis

Section 4 - First Aid Measures

First Aid:

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention.

Skin: Swabbed out and water to clean.

Inhalation: Leave quickly from the scene to fresh air place. Keep airway open. Such as difficulty breathing, give oxygen. If stopped breathing, once artificial respiration. Go to a doctor.

Ingestion: Drink plenty of warm water, spits. Gastric lavage, guide inner-leakage, Go to a doctor.

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

At 201-1-214 Xinqi of Donglu Road, Dongfeng District, Tel: 400-88-9628, 800-9990305

Dongguan, Guangdong, China

Dongguan BST Testing Co., Ltd.

BTDG-BG-H005

SAFETY DATA SHEETS



Report No.: BST200414003502CR

MSDS

Date: Apr.13, 2020

Page 3 of 7

Material Safety Data Sheets

Section 5 - Fire Fighting Measures

Hazardous characteristics: Encounter flame can burn. And antioxidant can happen reaction. By the high thermal decomposition emit poisonous gases.

Hazardous combustion products: Carbon monoxide, Carbon dioxide, Nitrogen oxides.

Extinguishing method: Water spray cooling container, moved the container to the empty place if possible. If the vessel in the fire already discolouration or from safety relief-pressure device voice, must produce evacuated immediately.

Extinguisher: Bubble, carbon dioxide, dry powder, sandy soil.

Not recommended: Direct water jet or water mist.

Section 6 - Accidental Release Measures

Steps to be taken in case Material is Released or Spilled: Leave quickly leakage pollution area personnel to safety, and isolation, strictly limiting access. Cut off the fire. Suggest emergency personnel wearing self-sustaining positive pressure type respirator, wear anti-static work clothes. As cut leakage source. Prevent ditch into sewer pipes, such restrictive space. Small spills with sand, vermiculite, or other inert materials absorption. Massive leak: to construct the beach or dig a pit asylum. Covered with foam, reduce steam disasters. Use explosion-proof pump metastasize to the tank or special collector inside, recycling or shipped to the waste disposal sites disposal.

Section 7 - Handling and Storage

- Newly type gas mask (comprehensive mask), wearing protective clothing, wear rubber gloves.
- From direct sunlight, heat and workplace forbids smoking.
- Prevent steam leakage into the workplace atmosphere.
- Avoid contact with antioxidants. Handling want light light, prevent packaging and container unloading damage.
- Equipped with corresponding varieties and number of fire equipment and leakage emergency treatment equipment.
- Empty containers may remain pests.
- Precautions to be taken in handling and storing**
 - Stored in a cool, well-ventilated area.

This report shall not be altered,unlicensed or deleted.The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

A1201-1204 Xiangyang of Dongguan Road, Dongguan District, Tel: 400-829628 100-0990105
Dongguan, Guangdong, China Http://www.bst-lab.com E-mail: chemical@bst-lab.com

Dongguan BST Testing Co., Ltd.

BTDC-16G-1005



Report No.: BST200414003502CR

MSDS

Date: Apr.13, 2020

Page 4 of 7

Material Safety Data Sheets

- Far from fire, heat source.
- Keep out of reach of children & pets.
- With oxidant, edible chemicals should be stored apart, avoid by all means is mixed storage.
- Do not place the deodorizer near heating equipment, nor expose to direct sunlight for long periods.
- Equipped with corresponding varieties and number of fire equipment.
- Storage areas shall be equipped with emergency treatment equipment and appropriate leakage of asylum materials.
- Extremely toxic substances shall strictly carry out the "five pairs of" management system.

Section 8 - Exposure Controls & Personal Protection

Respiratory Protection:

The higher concentration in the air when filter brand-newly type gas mask, wearing a mask (half).

Ventilation: Not necessary under conditions of normal use.

Protective Gloves: Wear rubber gloves.

Other Protective Clothing or Equipment:

- Wearing protective clothing.
- Maintain good health habits.

Section 9-Physical and Chemical Properties

Appearance and properties: liquid

pH value: N/A

Melting point (°C): -59

Boiling point (°C) : 121

Flash point(°C) : 98

The relative density (water = 1): 1.04(25°C)

Relative steam density (air = 1): 2.62

Saturated steam pressure (kPa) : 0.02(25°C)

Burning hot (kJ/mole): No Material

This report shall not be altered,unlicensed or deleted.The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

A1201-1204 Xiangyang of Dongguan Road, Dongguan District, Tel: 400-829628 100-0990105
Dongguan, Guangdong, China Http://www.bst-lab.com E-mail: chemical@bst-lab.com

Dongguan BST Testing Co., Ltd.

BTDC-16G-1005

SAFETY DATA SHEETS



MSDS

Report No.: BST200414603502CR Date: Apr.13, 2020 Page 3 of 7

Material Safety Data Sheets

The critical temperature (°C) : No Material
Critical pressure (MPa) : No Material

Section 10 - Stability & Reactivity Data

Chemical Stability: Stable.

Conditions to Avoid: Strong oxidizer, potassium, sodium

Hazardous Decomposition Products: N/A

Hazardous Polymerization: N/A

Section 11 - Toxicological Information

Toxicological Information: N/A

Excitant: Slightly

Primary irritant effect

- on the skin: No irritant effect.
- on the eye: Slightly irritating
- Sensitization: No sensitizing effects known.

Additional toxicological Information:

The product is not subject to classification according to the calculation method of the General EU

Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our

experience and the information provided to us.

Toxicokinetics, metabolism and distribution: No further relevant information available

Acute effects (acute toxicity, irritation and corrosivity): No further relevant information available

Section 12 - Ecological Information

Ecological Information:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

system.

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

A1201-1204 Xinyang of Dongguan Road, Dongguan District, TEL: 400-852628/ 000-9990085
Dongguan, Guangdong, China Http://www.bst-lab.com E-mail: bst@bst-lab.com

Dongguan BST Testing Co., Ltd.

BTDC-BG-1805



MSDS

Report No.: BST200414603502CR Date: Apr.13, 2020 Page 6 of 7

Material Safety Data Sheets

Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects: No further relevant information available.

Section 13 - Disposal Considerations

Waste treatment methods

- Recommendation: Smaller quantities can be disposed of with household waste.

Uncleaned packaging

- Recommendation: Disposal must be made according to official regulations.

Section 14 - Transport Information

Packaging methods: Threaded mouth glass bottles, iron lid pressure mouth glass bottle, plastic or metal barrels (pot) outside ordinary wooden boxes, threaded mouth glass bottle, plastic or tin thin steel barrel (pot) outside full case box, fiberboard soleplate box or plywood box.

Transport Fashion: by air, by sea, by railway, by road.

Attention: Gentle with, prevent collision drag and dump. Avoid exposure.

Section 15 - Regulatory Information

SVHC Candidate List of REACH Regulation Annex XIV Authorisation (15/12/2010)

None of the ingredients is listed

REACH Regulation Annex XVII Restriction List: None of the ingredients is listed

REACH Regulation Annex XIV Authorisation Recommendation List (17/2/2011)

None of the ingredients is listed

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

A1201-1204 Xinyang of Dongguan Road, Dongguan District, TEL: 400-852628/ 000-9990085
Dongguan, Guangdong, China Http://www.bst-lab.com E-mail: bst@bst-lab.com

Dongguan BST Testing Co., Ltd.

BTDC-BG-1805

SAFETY DATA SHEETS



Report No.: BST20011605502CR

MSDS

Date: Apr 15, 2020

Page 7 of 7

Material Safety Data Sheets

Section 16 - Other Information

Other Information: the above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the result of its use, this information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

BST confirmed the main item, the above content as reference information only. Please the user according to the demand to judge its usability. BST has no any responsibility.

*** End ***

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

A12011281 Xianyang of Daugou Road, Dongcheng District, Tel: 4068828262 1860990305
Dongguan, Guangdong, China Http://www.bst-lab.com E-mail: bst@bst-lab.com

Dongguan BST Testing Co., Ltd.

BTDG-BGC-1805